







LAYER STARTER CRUMBLE

(0-2 Weeks)



LAYER CHICK CRUMBLE

(3 - 8 Weeks)



LAYER GROWER CRUMBLE | MASH

(9-16 Weeks)



LAYER MASH | PELLET

(Above 17 Weeks)



LAYER CONCENTRATE

## **ADVANTAGES**

- Maintain uniformity of the flock
- Enhance egg production
- Ensure achievement of targeted body weight
- Provides optimum immunity
- Improves healthy development of
- Internal Organs, tissues, intestine, etc.,

# RG:

# RGS HENRICH BROILER FEEDS

Broiler feed have yielded consistent and assured results in terms of health of poultry and enhanced FCR. They are the feed of choice who want higher returns on their investment









BROILER PRE STARTER CRUMBLE

(1-14 Days)

**BROILER STARTER CRUMBLE** 

(15 - 24 Days)

**BROILER FINISHER PELLET** 

(Above 24 Days)







(0-8 weeks)



### **NA2 FINISHER**

(above 8 weeks)

# **ADVANTAGES**

- Better FCR
- Better Profits
- Releases Healthy Gut Microbes
- Reduces Mortality Rate & Pathogen Load
- Adaptable To Different Breed and
- Climatic Conditions Of India





**POULTRY FEEDS** 

# R.G. Sundar & Co.,

82, Perundurai Road, Erode, Tamilnadu, India - 638011 P: +91 424 22 66966 M: +91 97897 74166 linkedin.com/company/rgs-feeds-tn-india







